

- -)

(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 1 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)	
BASIC INFORMATION	
Type of Product	SMD C TYPE
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	SMD C TYPE MOLDING SERIES
	Sampling Product : 67-31A/GHC-YV1W2EZ3/2T-SGS-11-Jan-2024
PRODUCT INFORMATION	·
Product/component Sample	PLCC with Lens
description	
Quantity (numbers or weight)	0.0288 g
EVERLIGHT P/N	SMD C TYPE MOLDING SERIES
	Sampling Product : 67-31A/GHC-YV1W2EZ3/2T
Product Lot No	T231205K18Q428
Country of Origin	TAIWAN
TEST INFORMATION	·
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
(Sample Submitted By)	: (EVERLIGHT ELECTRONICS CO., LTD.)
(Sample Receiving Date)	: 28-Dec-2023

ample Receiving Date): 28-Dec-2023(Testing Period): 28-Dec-2023 to 11-Jan-2024

(Test Results)

(Please refer to following pages).



PIN CODE: 44F85869

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service liability, indemnification and jurisdiction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of

05



(No.): ETR23C05763

(Date): 11-Jan-2024

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requ	ested) :	Directive (EU)	RoHS 2011/65/ lient, with reference t 2015/863 to determi BP, DEHP, DIBP conte	, DBP, BBP, D o RoHS 2011/65/EU ine Cadmium, Lead, N	Annex II and amending Mercury, Cr(VI), PBBs,
		(2) other item(s).)	PAHs)	(As specified by	client, to test PAHs and
(Conclusio	n) :	(1) DEHP, DIBP 2015/863 the test result DEHP, DIBP co	RoHS 20	Mercury, Cr(VI), PBBs as set by RoHS Direc	
		ofPAHsrequi	nple(s), the test result rement (Category 3) mittee on Product Sat	ts of PAHs (15 items) O ther consumer pr	(A fPS) G S performed tests on the comply with the limits oducts as set by
(Test No.1 :	Part Description (BODY)	n)			
No.2 :		(PLATING LAYER O	F SILVER COLORED M	1ETALPIN)	

(BASE MATERIAL OF SILVER COLORED METAL PIN)

() (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

(Test Results)

No.3

No.4

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	n.d.			100
	(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	5.58			1000



(No.): ETR23C05763

(Date): 11-Jan-2024

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(Test Items)	(Method)	(Unit)			(Result)		(Limit)
				No.1	No.2	No.3	
	IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.			1000
	(With						
	reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)						
	IEC 62321-7-2: 2017	mg/kg	8	n.d.			1000
	(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)						
(Monobromobiphenyl)		mg/kg	5	n.d.			-
(Dibromobiphenyl)		mg/kg	5	n.d.			-
(Tribromobiphenyl)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(Pentabromobiphenyl)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
	IEC 62321-6: 2015	mg/kg	5	n.d.			-
	IEC 02321-0. 2015 /	mg/kg	5	n.d.			-
	(With reference to IEC	mg/kg	-	n.d.			1000
(Monobromodiphenyl ether)	62321-6: 2015, analysis was	mg/kg	5	n.d.			-
(Dibromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.			-
(Tribromodiphenyl ether)		mg/kg	5	n.d.			-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.			-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.			-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(Octabromodiphenyl ether)		mg/kg	5	n.d.			-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(Sum of PBDEs)		mg/kg	-	n.d.			1000



(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 4 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL		(
(Test Items)	(Method)	(Unit)			(Result)		(Limit)
(BBP) (Butyl benzyl		mg/kg	50	No.1 n.d.	No.2	No.3	1000
phthalate (BBP))			00	1 H GH			
(DBP) (Dibutyl		mg/kg	50	n.d.			1000
phthalate (DBP))		(1	50				1000
(2-) (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.			1000
(DIBP) (Diisobutyl	•	mg/kg	50	n.d.			1000
phthalate (DIBP))							
(DIDP) (Diisodecyl		mg/kg	50	n.d.			-
phthalate (DIDP)) (CAS No.: 26761-40- 0, 68515-49-1)							
(DINP) (Diisononyl		mg/kg	50	n.d.			-
phthalate (DINP)) (CAS No.: 28553-12- 0, 68515-48-0)							
(DNOP) (Di-n-octyl	IEC 62321-8: 2017	mg/kg	50	n.d.			-
phthalate (DNOP)) (CAS No.: 117-84- 0)	/ (With reference to IEC						
(DNPP) (Di-n-	62321-8: 2017, analysis was	mg/kg	50	n.d.			-
pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	performed by GC/MS.)						
(DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.			-
(2-) (DMEP)		mg/kg	50	n.d.			-
(Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)							
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)		mg/kg	50	n.d.			-
(DIOP) (Diisooctyl		mg/kg	50	n.d.			-
phthalate (DIOP)) (CAS No.: 27554-26- 3)							
(DNNP) (Di-n-		mg/kg	50	n.d.			-
nonyl phthalate (DNNP)) (CAS No.: 84-76-4)							



(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 5 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(7			MDL				(Limit)
(Test Items)	(Method)	(Unit)	Unit)		(Result) No.1 No.2 No.3		
	IEC 62321: 2008	mg/kg	5	n.d.	NO.2	NO.3	_
(HBCDD)(- HBCDD, - HBCDD, -	/ (With	1119/119	0	Those states and state			
HBCDD) (Hexabromocyclododecane	reference to IEC 62321:						
(HBCDD) and all major	2008, analysis was						
diastereoisomers identified (-	performed by GC/MS.)						
HBCDD, - HBCDD, - HBCDD)) (CAS							
No.: 25637-99-4, 3194-55-6 (134237-							
51-7, 134237-50-6, 134237-52-8))							
(F) (Fluorine (F)) (CASNo.: 14762-		mg/kg	50	520			-
94-8)	BS EN 14582: 2016						
(CI) (Chlorine (CI)) (CAS No.: 22537-	(With	mg/kg	50	n.d.			-
(Pr) (Promine (Pr)) (CAS No. 10007	reference to BS EN 14582:		50	n d			
(Br) (Bromine (Br)) (CASNo.: 10097- 32-2)	2016, analysis was	mg/kg	50	n.d.			-
(I) (Iodine (I)) (CAS No.: 14362-44-8)	performed by IC.)	mg/kg	50	n.d.			_
		ing, ng	00	Those states and state			
(PFOS and its	CEN /TS 15968: 2010	mg/kg	0.01	n.d.			-
salts) (CAS No.: 1763-23-1 and its							
salts)	(With reference to CEN/TS						
(PFOA and its salts)	15968: 2010, analysis was	mg/kg	0.01	n.d.			-
(CAS No.: 335-67-1 and its salts)	performed by LC/MS/MS.)						
(Be) (Beryllium (Be)) (CASNo.: 7440-	USEPA 3052:1996	mg/kg	2	n.d.			-
41-7)	(Mith reference to UC						
	(With reference to US EPA 3052: 1996, analysis						
	was performed by ICP-						
	OES.)						
	, ,						



(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 6 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(Test Items)	(Method)	(Unit)		(Result)			(Limit)
				No.1	No.2	No.3	
(Polycyclic Aromatic							
Hydrocarbons) (PAHs)							
(a) (Benzo[a]pyrene) (CASNo.:		mg/kg	0.2	n.d.			
50-32-8)							
(e) (Benzo[e]pyrene) (CASNo.:		mg/kg	0.2	n.d.			
192-97-2)							
(Benzo[a]anthracene) (CASNo.:		mg/kg	0.2	n.d.			
56-55-3)							
(b) (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-99-2)							
(j) (Benzo[j]fluoranthene) (CAS		mg/kg	0.2	n.d.			
No.: 205-82-3)							
(k) (Benzo[k]fluoranthene)	A fPS G S 2019:01 PA K	mg/kg	0.2	n.d.			
(CAS No.: 207-08-9)	/						
(Chrysene) (CASNo.: 218-01-9)	(With reference to AfPS GS	mg/kg	0.2	n.d.			
(Dibenzo[a,h]anthracene)	2019:01 PAK, analysis was	mg/kg	0.2	n.d.			
(CAS No.: 53-70-3)	performed by GC/MS.)						
(Benzo[g,h,i]perylene) (CASNo.:		mg/kg	0.2	n.d.			
191-24-2)							
(Indeno[1,2,3-c,d]pyrene) (CAS		mg/kg	0.2	n.d.			
No.: 193-39-5)							
(Anthracene) (CASNo.: 120-12-7)		mg/kg	0.2	n.d.			
(Fluoranthene) (CASNo.: 206-		mg/kg	0.2	n.d.			
44-0)							
(Phenanthrene) (CASNo.: 85-01-8)	1	mg/kg	0.2	n.d.			
(Pyrene) (CASNo.: 129-00-0)	1	mg/kg	0.2	n.d.			
(Naphthalene) (CASNo.: 91-20-3)	1	mg/kg	0.2	n.d.			
15 (Sum of 15 PAHs)		mg/kg	-	n.d.			



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of

(Page): 7 of 24



(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 8 of 24

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.4	(Limit)
(Be) (Beryllium (Be)) (CASNo.: 7440- 41-7)	US EPA 3050B: 1996 (With reference to US EPA 3050B: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	-

)

(Note)

1. mg/kg = ppm 0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit (

3. n.d. = Not Detected (); MDL / Less than MDL

)

)

4. "-" = Not Regulated (

5. "---" = Not Conducted (

6. (#2) =

a.0.13 μg/cm². / The sample is positive for Cr(VI) if the Cr(VI)concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).b.n.d. (0.10 μg/cm²). / The sample is negative for Cr(VI) if Cr(VI) isn.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coatingc.0.100.13 μg/cm². / The result between 0.10 μg/cm² and0.13 μg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.

(W=O)

7.

ILAC-G8:09/2019

(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 9 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(A fPS): GS PAHs AfPS (German commission for Product Safety): GS PAHs requirements

	1 (Category 1	1)	2 (Category 2))	3	(Category 3)
(Parameter)	(30) 2009/48/EC (Ma intended to be placed in mouth, or materials in to (Directive 2009/48/EC) o articles for children up to years of age with intende long-term skin contact (s seconds))	the inten- ys skin c r short 9 3 ed	1 30 ((Materia ot in Category 1, with ded or foreseeable lor contact (> 30 seconds) -	ng-term		



PFAS

(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 10 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS Remark

PFAS		PFAS		
		PFA S		PFAS
(PFAS		PFAS)

(PFAS PFAS) (The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

(Classification of Substance Concentration)	(Substance Name)	CAS No.
	(PFOS)	1763-23-1
	(PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	(PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
PFOS, &	(PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	$\begin{array}{c} (PFOS-N(C_{2}H_{5})_{4})\\ Perfluorooctanesulfonic\\ acid,tetraethylammonium salt(PFOS-N(C_{2}H_{5})_{4}) \end{array}$	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1- aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8



(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 11 of 24

207 25 7

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
(PFOS-Mg)	91036-71-4
Perfluorooctanesulfonic acid,	
magnesium salt (PFOS-Mg)	
(PFOS-Na)	4021-47-0
Perfluorooctanesulfonic acid, sodium	
salt (PFOS-Na)	

Piperidine

		335-93-3
PFOA, & (PFOA, its salts & derivatives)	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



(No.): ETR23C05763

(Date): 11-Jan-2024


(Page): 12 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr⁶⁺ test method excluded





(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 13 of 24


(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart. Cr⁶⁺ test method excluded





(No.): ETR23C05763


(Date): 11-Jan-2024

(Page): 14 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ / Analytical flow chart - PBBs/PBDEs





(No.): ETR23C05763

(Date): 11-Jan-2024


(Page): 15 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8





(Page): 16 of 24

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of



(Page): 17 of 24

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of



(No.): ETR23C05763


(Date): 11-Jan-2024

(Page): 18 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ / /) / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





(No.): ETR23C05763


(Date): 11-Jan-2024

(Page): 19 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR23C05763

(Date): 11-Jan-2024


(Page): 20 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart. /Reference method US EPA 3051A US EPA 3052





(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 21 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ICP-OES

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , / Aqua regia, HNO $_3$, HCI, HF, H $_2$ O $_2$	
/ Glass	, / HNO ₃ ,HF	
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia	
/ Silver	/ HNO ₃	
/ Plastic	, , , / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI	
/ Others	/ Added appropriate reagent to total digestion	



(No.): ETR23C05763

(Date): 11-Jan-2024


(Page): 22 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

*

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ .* (The tested sample / part is marked by an arrow if it's shown on the photo.)





(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 23 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(No.): ETR23C05763

(Date): 11-Jan-2024

(Page): 24 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



** (End of Report) **