

(Date): 15-Mar-2024

(Page): 1 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Type of Product	HIGH POWER LED_ELSH	
Supplier Company Name	EVERLIGHT	
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN	
Tel / Fax / Email	TEL:886-2685-6688	
	FAX:886-2685-6699	
	E-MAIL: lindawang@everlight.com	
Contact Person	LI LING WANG	
EVERLIGHT REPORT NO	HIGH POWER ELSH SERIES	
	Sampling Product: ELSH-F41R1-0LPNM-AR5R6-SGS-15-Mar-2024	
	<u> </u>	
Product/component Sample	Automotive exterior lighting	
description		
Quantity (numbers or weight)	0.037 g	
EVERLIGHT P/N	HIGH POWER ELSH SERIES	
	Sampling Product : ELSH-F41R1-0LPNM-AR5R6	
Product Lot No	Y240105A8902VB20W6L	
Country of Origin	TAIWAN	
	<u> </u>	
Sample preparation	CUTTING	
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582	
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg	

(Sample Submitted By)

(EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date)

06-Mar-2024

(Testing Period)

06-Mar-2024 to 15-Mar-2024

(Please refer to following pages).





PIN CODE: 83A6C019



(Date): 15-Mar-2024

(Page): 2 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(1) RoHS 2011/65/EU Annex II (EU) 2015/863 , DBP, BBP, DEHP, DIBP (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) PAHs (As specified by client, to test PAHs and other item(s).)

(1)

(2)

No.1 (TRANSPARENT GLUE)
No.2 (SILVER-WHITE COLORED SHEET)

IEC 62321-5: 2013 100 mg/kg n.d. n.d. (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) IEC 62321-5: 2013 1000 mq/kq n.d. n.d. (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)



(Date): 15-Mar-2024

(Page): 3 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

						I
						1
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	n.d.	1000
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	80	n.d.	n.d.	1000
(Monobromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Dibromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Tribromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Tetrabromobiphenyl)	-	mg/kg	5	n.d.	n.d.	-
(Pentabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Hexabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Heptabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(O ctabrom obiphenyl)		mg/kg	5	n.d.	n.d.	-
(Nonabromobiphenyl)	IEC 40201 4, 001E	mg/kg	5	n.d.	n.d.	-
(Decabromobiphenyl)	IEC 62321-6: 2015 / (With	mg/kg	5	n.d.	n.d.	-
	reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	n.d.	1000
(Monobromodiphenyl ether)	analysis was performed by	mg/kg	5	n.d.	n.d.	-
(Dibromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	n.d.	-
(Tribromodiphenyl ether)	GC/1VI3.)	mg/kg	5	n.d.	n.d.	-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Hexabromodiphenyl ether)	romodiphenyl ether)		5	n.d.	n.d.	-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Octabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Decabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
		mg/kg	-	n.d.	n.d.	1000



(Date): 15-Mar-2024

(Page): 4 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(BBP) (Butyl		mg/kg	50	n.d.	n.d.	1000
benzyl phthalate (BBP))						
(DBP) (Dibutyl	1	mg/kg	50	n.d.	n.d.	1000
phthalate (DBP))						
(2-) (DEHP)		mg/kg	50	n.d.	n.d.	1000
(Di-(2-ethylhexyl) phthalate (DEHP))						
(DIBP)		mg/kg	50	n.d.	n.d.	1000
(Diisobutyl phthalate (DIBP))						
(DIDP)		mg/kg	50	n.d.	n.d.	-
(Diisodecyl phthalate (DIDP)) (CAS						
No.: 26761-40-0, 68515-49-1)						
(DINP)		mg/kg	50	n.d.	n.d.	
(Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)						
(DNOP) (Di-n-	IEC 62321-8: 2017	ma/ka	50	n.d.	n.d.	
octyl phthalate (DNOP)) (CAS No.:	/ (With	mg/kg	30	H.U.	H.G.	-
117-84-0)	reference to IEC 62321-8: 2017,					
(DNPP) (Di-n-	analysis was performed by	mg/kg	50	n.d.	n.d.	_
pentyl phthalate (DNPP)) (CAS No.:	GC/MS.)	ing/kg	00	11.0.	11.0.	
131-18-0)						
(DNHP) (Di-n-	1	mg/kg	50	n.d.	n.d.	-
hexyl phthalate (DNHP)) (CAS No.:						
84-75-3)						
(2-) (DMEP)]	mg/kg	50	n.d.	n.d.	-
(Bis(2-methoxyethyl) phthalate						
(DMEP)) (CAS No.: 117-82-8)						
(DMP) (Dimethyl		mg/kg	50	n.d.	n.d.	-
phthalate (DMP)) (CAS No.: 131-11-						
3)	1					
(DIOP)		mg/kg	50	n.d.	n.d.	-
(Diisooctyl phthalate (DIOP)) (CAS						
No.: 27554-26-3)						



(Date): 15-Mar-2024

(Page): 5 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(DNNP) (Di-n-	IEC 62321-8: 2017 / (With	mg/kg	50	n.d.	n.d.	-
nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	reference to IEC 62321-8: 2017,					
[04-70-4]	analysis was performed by					
	GC/MS.)					
	IEC 62321: 2008	mg/kg	5	n.d.	n.d.	-
(HBCDD) (- HBCDD, - HBCDD,	/ (With					
- HBCDD)	reference to IEC 62321: 2008,					
(Hexabromocyclododecane	analysis was performed by					
(HBCDD) and all major	GC/MS.)					
diastereoisomers identified (- HBCDD, - HBCDD, - HBCDD) (CAS						
No.: 25637-99-4, 3194-55-6						
(134237-51-7, 134237-50-6,						
134237-52-8))						
(F) (Fluorine (F)) (CAS No.: 14762-		mg/kg	50	466	119	-
94-8)						
(CI) (Chlorine (CI)) (CAS No.:	BS EN 14582: 2016	mg/kg	50	n.d.	n.d.	-
22537-15-1)	(With reference to					
(Br) (Bromine (Br)) (CAS No.:	BS EN 14582: 2016, analysis was	mg/kg	50	n.d.	n.d.	-
10097-32-2)	performed by IC.)					
(I) (lodine (I)) (CAS No.: 14362-44-		mg/kg	50	n.d.	n.d.	-
8)						
(PFOS and its	CEN/TS 15968: 2010	mg/kg	0.01	n.d.	n.d.	-
salts) (CAS No.: 1763-23-1 and its salts)	(With					
· '	reference to CEN/TS 15968:		0.01	ام ما	ام ما	
(PFOA and its saits) (CAS No.: 335-67-1 and its salts)	2010, analysis was performed	mg/kg	0.01	n.d.	n.d.	-
,	by LC/MS/MS.)					
(Be) (Beryllium (Be)) (CAS No.:	US EPA 3052: 1996	mg/kg	2	n.d.	n.d.	-
7440-41-7)	(With					
	reference to US EPA 3052: 1996,					
	analysis was performed by ICP-OES.)					
	OLO.)					



(Date): 15-Mar-2024

(Page): 6 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	T					
(a) (Benzo[a]pyrene) (CAS No.:		mg/kg	0.2	n.d.	n.d.	
50-32-8)						
(e) (Benzo[e]pyrene) (CAS No.:		mg/kg	0.2	n.d.	n.d.	
192-97-2)						
(Benzo[a]anthracene) (CAS		mg/kg	0.2	n.d.	n.d.	
No.: 56-55-3)						
(b) (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.	n.d.	
(CAS No.: 205-99-2)						
(j) (Benzo[j]fluoranthene)		mg/kg	0.2	n.d.	n.d.	
(CAS No.: 205-82-3)						
(k) (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.	n.d.	
(CAS No.: 207-08-9)	A fPS G S 201 9:01 PA K					
(Chrysene) (CAS No.: 218-01-9)	/ (With	mg/kg	0.2	n.d.	n.d.	
(Dibenzo[a,h]anthracene)	reference to AfPS GS 2019:01	mg/kg	0.2	n.d.	n.d.	
(CAS No.: 53-70-3)	PAK, analysis was performed by					
(Benzo[g,h,i]perylene) (CAS	GC/MS.)	mg/kg	0.2	n.d.	n.d.	
No.: 191-24-2)	GC/1VI3.)					
(Indeno[1,2,3-c,d]pyrene)		mg/kg	0.2	n.d.	n.d.	
(CAS No.: 193-39-5)						
(Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	n.d.	
(Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.	n.d.	
44-0)						
(Phenanthrene) (CAS No.: 85-01-		mg/kg	0.2	n.d.	n.d.	
8)						
(Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	n.d.	
(Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	n.d.	
]	mg/kg	-	n.d.	n.d.	



(Date): 15-Mar-2024

(Page): 7 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

```
1. mg/kg = ppm  0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit ( )

3. n.d. = Not Detected ( ); MDL / Less than MDL

4. "-" = Not Regulated ( )

5. ILA C-G 8:09/2019 (w=0)
```

(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(Date): 15-Mar-2024

(Page): 8 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	1 (Category 1)	2 (Category 2)		3 (Cat	egory 3)
(Parameter)	(30) 2009/48/EC 3 (Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended	intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin)		covered by Catego	30 erials not ry 1 or 2, with eable short-
	long-term skin contact (> 30 seconds))	14	(Other consumer	14 (Use by children under 14)	(Other consumer
Naphthalene	< 1	< 2		< 10	O O
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< 1 Suiti	< 5 Sui ii	< 10 Suiti	< 20 Julii	< 50 Suiti
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 PAH (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

(Unit) mg/kg



(Date): 15-Mar-2024

(Page): 9 of 19

	(EVERLIGHT ELECTRONICS CO., LTD.)
6-8	(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

PFAS	PFAS		PFAS		
			PFAS		PFAS
	(PFAS		PFAS)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

	T	
	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
DEGG	$\begin{tabular}{ll} (PFOS-NH_4)\\ Perfluorooctanesulfonic acid, ammonium salt\\ (PFOS-NH_4)\\ \end{tabular}$	29081-56-9
PFOS, & (PFOS, its salts & derivatives)	$\label{eq:pfosnh} (PFOS-NH(OH)_2) \\ Perfluorooctane sulfonate diethanolamine salt \\ (PFOS-NH(OH)_2) \\$	70225-14-8
	$\label{eq:continuous} \begin{tabular}{ll} (PFOS-N(C_2H_5)_4)\\ Perfluorooctanesulfonic\\ acid,tetraethylammoniumsalt(PFOS-N(C_2H_5)_4)\\ \end{tabular}$	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8



(Date): 15-Mar-2024

(Page): 10 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(POSF) 307-35-7

Perfluorooctane sulfonyl fluoride (POSF)

(PFOS-Mg) 91036-71-4

Perfluorooctanesulfonic acid, magnesium

salt (PFOS-Mg)

PFOS, & (PFOS-Na) 4021-47-0

Perfluorooctanesulfonic acid, sodium salt

(PFOS-Na)

Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate

(Perfluorooctanoic acid) (PFOA) 335-67-1




(Date): 15-Mar-2024

(Page): 11 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

Cr⁶⁺ test method excluded






(Date): 15-Mar-2024

(Page): 12 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 15-Mar-2024

(Page): 13 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 15-Mar-2024

(Page): 14 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 15-Mar-2024

(Page): 15 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 15-Mar-2024

(Page): 16 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 15-Mar-2024

(Page): 17 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(Date): 15-Mar-2024

(Page): 18 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052

/ 5	Solution		



(Date): 15-Mar-2024

(Page): 19 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan