

(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 1 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)

BASIC INFORMATION	
Type of Product	DISPLAY
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	DISPLAY SERIES(Lead Frame Type Display), Sampling Product: TDSL1160-SGS-14-Jun-2024
PRODUCT INFORMATION	<u> </u>
Product/component Sample	¹ Instrument panels
description	Digital readout displays
Quantity (numbers or weight)	0.6975 g
EVERLIGHT P/N	DISPLAY SERIES (Lead Frame Type Display) ,
	Sampling Product : TDSL1160
Product Lot No	K2415L7-1
Country of Origin	China
TEST INFORMATION	
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 31-May-2024

(Testing Period) : 31-May-2024 to 14-Jun-2024

(Test Results) : (Please refer to following pages).





PIN CODE: AB214755



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 2 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested) : (1) RoHS 2011/65/EU Annex II

(EU) 2015/863

, DBP, BBP, DEHP, DIBP (As specified

by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP,

BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) PAHs (As specified by client, to test PAHs and

other item(s).)

(Conclusion) : (1)

, DBP, BBP,

DEHP, DIBP RoHS 2011/65/EU Annex II

(EU) 2015/863

(Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II

to Directive 2011/65/EU.)

(2)

(A fPS) GS

PAHs 3 (Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products as set by German

Committee on Product Safety (AfPS) GS PAHs.)

(Test Part Description)

No.1 : (BODY)

No.2 : (PLATING LAYER OF SILVER COLORED METAL PIN)
No.3 : (BASE MATERIAL OF SILVER COLORED METAL PIN)

No.4 : () (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

(Test Results)

(Test Items)	(Method) (I		MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	n.d.			100
(Pb) (Lead (Pb))	(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.			1000



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 3 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Method)	(Unit)	MDL				(Limit)
	(Method)	(OTIIL)		No.1	No.2	No.3	(LIIIIII)
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.			1000
	(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)						
Cr(VI) (Hexavalent Chromium	IEC 62321-7-2: 2017	mg/kg	8	n.d.			1000
Cr(VI))	-						
	(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)						
	,	mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	-	n.d.			1000
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	-	n.d.			1000



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 4 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

		MDL				
(Method)	(Unit)			(Result)		(Limit)
			No.1	No.2	No.3	
	mg/kg	50	n.d.			1000
	mg/kg	50	n.d.			1000
	mg/kg	50	n.d.			1000
	mg/kg	50	n.d.			1000
		= 0				
	mg/kg	50	n.d.			_
-		F.O.		<u> </u>		
	mg/kg	50	n.a.			-
IEC 62321-8: 2017	no ci /l ci	ГО	n d			
/ (With	mg/kg	50	n.a.			_
reference to IEC 62321-8:						
2017, analysis was performed	ma/ka	ΕO	n d			
by GC/MS.)	mg/kg	50	H.G.			_
1	ma/ka	50	n d	<u> </u>		
	ing/kg	30	H.G.			_
1	ma/ka	50	n d			_
	ing/kg	50	m.d.			
1	ma/ka	50	n d			_
	I mg/ kg	00	Ti.G.			
1	ma/ka	50	n.d.			_
	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed	mg/kg	(Method) (Unit) mg/kg 50 mg/kg 50	(Method) (Unit) No.1 mg/kg 50 n.d. mg/kg 50 n.d.	(Method) (Unit) (Result) mg/kg 50 n.d. mg/kg 50 n.d.	(Method) (Unit) (Result) No.1 No.2 No.3 mg/kg 50 n.d. mg/kg 50 n.d.



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 5 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(HBCDD) (- HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (- HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.			-
(F) (Fluorine (F)) (CAS No.: 14762- 94-8)		mg/kg	50	622			-
(CI) (Chlorine (CI)) (CAS No.: 22537-15-1)	BS EN 14582: 2016 (With reference	mg/kg	50	111			-
(Br) (Bromine (Br)) (CAS No.: 10097-32-2)	to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	4240			-
(I) (lodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.			-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 6 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

(Test Items)	(Test Items) (Method) (Unit) MDL (Result)				(Limit)		
				No.1	No.2	No.3	
(Polycyclic Aromatic							
Hydrocarbons) (PAHs)							
(a) (Benzo[a]pyrene) (CAS No.:		mg/kg	0.2	n.d.			
50-32-8)							
(e) (Benzo[e]pyrene) (CAS No.:		mg/kg	0.2	n.d.			
192-97-2)							
(Benzo[a]anthracene) (CAS		mg/kg	0.2	n.d.			
No.: 56-55-3)							
(b) (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-99-2)							
(j) (Benzo[j]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-82-3)							
(k) (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 207-08-9)	A fPS GS 2019:01 PAK						
(Chrysene) (CAS No.: 218-01-9)	/ (With	mg/kg	0.2	n.d.			
(Dibenzo[a,h]anthracene)	reference to AfPS GS 2019:01	mg/kg	0.2	n.d.			
(CAS No.: 53-70-3)	PAK, analysis was performed						
(Benzo[g,h,i]perylene) (CAS	by GC/MS.)	mg/kg	0.2	n.d.			
No.: 191-24-2)	Sy Controlly						
(Indeno[1,2,3-c,d]pyrene)		mg/kg	0.2	n.d.			
(CAS No.: 193-39-5)							
(Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.			
(Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.			
44-0)							
(Phenanthrene) (CAS No.: 85-01-		mg/kg	0.2	n.d.			
8)							
(Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.			
(Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.			
15 (Sum of 15		mg/kg	-	n.d.			
PAHs)							



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 7 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
	,			No.1	No.2	No.3	1
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			-
(Cd) (Cadmium (Cd))	IEC 62321-5: m 2013 (IEC 62321-5: 2013 application of modified		2		n.d.		100
(Pb) (Lead (Pb))	digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013,	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	analysis was performed by ICP-OES.)	mg/kg	2			12.5	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2			n.d.	1000



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 8 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Test Items)	(Method)	(Unit)	MDL	No.1		No.3	(Limit)
	(Hexavalent Chromium) Cr(VI)	IEC 62321-7-1: 2015	μg/cm²	0.1			n.d.	-
(#2)		(With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.)						
				MDL				
	(Test Items)	(Method)	(Unit)		(Result) No.4	(Lim		
) (Beryllium (Be)) (CAS No.:	US EPA 3050B: 1996	mg/kg	2	n.d.	-		
7440-	41-7) Note)	(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)						
1. ı 2. l	mg/kg = ppm 0.1wt% = 0.1% MDL = Method Detection Limit	()						
4. '	n.d. = Not Detected (); '-" = Not Regulated ()	MDL / Less than MDL						
	'" = Not Conducted ((#2) =)						
; ((oncentration is greater than 0.7 concentration is greater than 0.7 concentration less than 0.1 concentration less than 0.1	13 μg/cm². The sample coating 0.10 μg/cm²) Ο μg/cm²). The coating is consid μg/cm²	is conside ./The s dered a no	ered to osample is on-Cr(V	is negativ I) based c esult betv	r(VI). e for Cr(V coating veen 0.10	l)ifCr(V μg/cm ²	² and
	ILA C-G 8:09/: (U n l Binary Statement for Simple Acc judgement of conformity is base	ess otherwise stated, the decisi ceptance Rule (w=0) stated in IL	AC-G8:09	9/2019.		-		n





(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 10 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS Rem	ark					
Р	FAS	PFAS		PFAS		
				PFAS		PFA S
		(PFAS		PFAS)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

(Group Name)	(Substance Name)	CAS No.
(Group Ivame)	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	$\begin{tabular}{ll} (PFOS-NH_4)\\ Perfluorooctanesulfonic acid, ammonium salt\\ (PFOS-NH_4)\\ \end{tabular}$	29081-56-9
PFOS, & (PFOS, its salts & derivatives)	$(PFOS-NH(OH)_2)$ Perfluorooctane sulfonate diethanolamine salt $(PFOS-NH(OH)_2)$	70225-14-8
	$(PFOS-N (C_2H_5)_4)\\ Perfluorooctanesulfonic\\ acid, tetraethylammonium salt\\ (PFOS-N(C_2H_5)_4)$	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 11 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Group Name)	(Substance Name)	CAS No.
` ' '	$(PFOS-N(C_4H_9)_4)$ TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C_4H_9)_4)	111873-33-7
	(PO SF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
PFOS, & (PFOS, its salts & derivatives)	(PFO S-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	(PFO S-N a) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	(Perfluorooctanoic acid) (PFOA)	335-67-1
	(PFO A - N a) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	(PFO A - K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	(PFO A - A g) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
PFOA, & (PFOA, its salts & derivatives)	(A PFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFO A - Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	(PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	(PFO A - Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	(PFO A - Cr(3 ⁺)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 12 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Group Name)

423-52-9

PFOA, & 45285-51-6



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 13 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr^{6+} test method excluded



(No.): ETR24505668

(Date): 14-Jun-2024


(Page): 14 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart. ${\rm Cr}^{6+}$ test method excluded





(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 15 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs

/ First testing process
/ Optional screen process
/ Confirmation process

/ Sample pretreatment

/ Screen analysis

/ Sample extraction
/ Soxhlet method

/
Concentrate/Dilute extracted solution

/ Filter

/ GC/MS

/ Data



(No.): ETR24505668

(Date): 14-Jun-2024


(Page): 16 of 24

rest Report

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8





(No.): ETR24505668


(Date): 14-Jun-2024

(Page): 17 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - HBCDD





(No.): ETR24505668


(Date): 14-Jun-2024

(Page): 18 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Halogen






(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 19 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ / /) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)





(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 20 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

/
Sample pretreatment

() /
Sample extracted (ultrasonic extraction) by toluene solvent

/
Analysis was performed by GC/MS

/ Data



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 21 of 24


(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 22 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ICP-OES

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , Aqua regia, $\rm HNO_3$, $\rm HCI$, $\rm HF$, $\rm H_2O_2$
/ Glass	, / HNO ₃ ,HF
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia
/ Silver	/ HNO ₃
/ Plastic	, , , / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
/ Others	/ Added appropriate reagent to total digestion



(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 23 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24505668 NO.1








(No.): ETR24505668

(Date): 14-Jun-2024

(Page): 24 of 24

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(End of Report) **