

(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 1 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the

applicant as)

BASIC INFORMATION	
Type of Product	SMD B TYPE
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	SMD B TYPE SERIES
	Sampling Product: PD15-22C/TR8-SGS-12-Jul-2024
PRODUCT INFORMATION	•
Product/component Sample	TOUCH APNEL
description	
Quantity (numbers or weight)	0.0144 g
EVERLIGHT P/N	SMD B TYPE SERIES
	Sampling Product : PD15-22C/TR8
Product Lot No	Y240422G1802KYG18
Country of Origin	TAIWAN
TEST INFORMATION	•
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 03-Jul-2024

(Testing Period) : 03-Jul-2024 to 12-Jul-2024

(Test Results) : (Please refer to following pages).





PIN CODE: ABA31D47



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 2 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested) : (1) RoHS 2011/65/EU Annex II (EU) 2015/863

, DBP, BBP, DEHP, DIBP (As

specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) PAHs (As specified by client, to test PAHs

and other item(s).)

(Conclusion) : (1) , DBP,

BBP, DEHP, DIBP RoHS 2011/65/EU Annex II (EU)

2015/863 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU)

2015/863 amending Annex II to Directive 2011/65/EU.)

(2) (A fPS)

GS PAHs 3 (Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products

as set by German Committee on Product Safety (AfPS) GS PAHs.)

(Test Part Description)
No.1 : SMD B TYPE

(Test Results)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	100
(Pb) (Lead (Pb))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	1000



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 3 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.	1000
	(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)				
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
(Monobromobiphenyl)		mg/kg	5	n.d.	-
(Dibromobiphenyl)		mg/kg	5	n.d.	-
(Tribromobiphenyl)		mg/kg	5	n.d.	-
(Tetrabromobiphenyl)		mg/kg	5	n.d.	-
(Pentabromobiphenyl)		mg/kg	5	n.d.	-
(Hexabromobiphenyl)		mg/kg	5	n.d.	-
(Heptabromobiphenyl)		mg/kg	5	n.d.	-
(Octabromobiphenyl)		mg/kg	5	n.d.	-
(Nonabromobiphenyl)		mg/kg	5	n.d.	-
(Decabromobiphenyl)	IEC 62321-6: 2015	mg/kg	5	n.d.	-
(Sum of PBBs)	/ (With reference to	mg/kg	-	n.d.	1000
(Monobromodiphenyl ether)	IEC 62321-6: 2015, analysis was	mg/kg	5	n.d.	-
(Dibromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.	-
(Tribromodiphenyl ether)		mg/kg	5	n.d.	-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
(Octabromodiphenyl ether)		mg/kg	5	n.d.	-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
(Decabromodiphenyl ether)		mg/kg	5	n.d.	-
(Sum of PBDEs)		mg/kg	-	n.d.	1000



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 4 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)	(Limit)
(BBP) (Butyl benzyl phthalate (BBP))		mg/kg	50	n.d.	1000
(DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.	1000
(2-) (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.	1000
(DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.	1000
(DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761- 40-0, 68515-49-1)		mg/kg	50	n.d.	-
(DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DNOP) (Di-n- octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-
(DNPP) (Di-n- pentyl phthalate (DNPP)) (CAS No.: 131-18-0)		mg/kg	50	n.d.	-
(DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.	-
(2-) (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)		mg/kg	50	n.d.	-
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)		mg/kg	50	n.d.	-
(DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554- 26-3)		mg/kg	50	n.d.	-



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 5 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	(Method) IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) IEC 62321: 2008 (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	(Unit) mg/kg mg/kg	MDL 50	No.1 n.d.	(Limit) - -
		mg/kg	50	456	-
		mg/kg	50	165	-
		mg/kg	50	n.d.	-
		mg/kg	50	n.d.	-
	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 6 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)	(Limit)
(Polycyclic Aromatic Hydrocarbons) (PAHs)				No.1	
(a) (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	
(e) (Benzo[e]pyrene) (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	
(Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	
(b) (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	
(j) (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	
(k) (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	A fPS GS 2019:01 PAK	mg/kg	0.2	n.d.	
(Chrysene) (CAS No.: 218-01-9)	/ (With reference to	mg/kg	0.2	n.d.	
(Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	AfPS GS 2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	
(Benzo[g,h,i]perylene) (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	
(Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	
(Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	
(Fluoranthene) (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	
(Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	
(Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	
(Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	
15 (Sum of 15		mg/kg	-	n.d.	



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 7 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1

(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 8 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GSPAHs

AfPS (German commission for Product Safety): GS PAHs requirements (Category 1) (Category 2) (Category 3) 30) 30 2009/48/FC (Materials that (Materials are not in Category 1, with intended to be placed in the intended or foreseeable long-term mouth, or materials in toys skin contact (> 3Qq241 279.34 141. (Parameter) (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds))





(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 10 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 11 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 12 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs

/ First testing process
/ Optional screen process
/ Confirmation process

/ Sample pretreatment

/ Screen analysis

/ Sample extraction
/ Soxhlet method

/
Concentrate/Dilute extracted solution

/ Filter

/ GC/MS

/ Data



(No.): ETR24700743


(Date): 12-Jul-2024

(Page): 13 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 14 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - HBCDD






(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 15 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Halogen






(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 16 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ / /) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)






(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 17 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR24700743

(Date): 12-Jul-2024


(Page): 18 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR24700743

(Date): 12-Jul-2024

(Page): 19 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24700743



(End of Report) **