

(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 1 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the

applicant as)

BASIC INFORMATION	
Type of Product	HIGH POWER
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	HPX1717 series
	Sampling Product:HPF1717CZ0112-N7W7H57135X36350-2K-SGS-12-Jul-2024
PRODUCT INFORMATION	•
Product/component Sample	LIGHTING
description	
Quantity (numbers or weight)	0.0078 g
EVERLIGHT P/N	HPX1717 series
	Sampling Product:HPF1717CZ0112-N7W7H57135X36350-2K
Product Lot No	Y240420A4002B20WO
Country of Origin	TAIWAN
TEST INFORMATION	•
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
	•

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 03-Jul-2024

(Testing Period) : 03-Jul-2024 to 12-Jul-2024

(Test Results) : (Please refer to following pages).





PIN CODE: 53CC1946



(Page): 2 of 19



(No.): ETR24700767 (Date): 12-Jul-2024

(Page): 3 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.	1000
	(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)				
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
(Monobromobiphenyl)		mg/kg	5	n.d.	-
(Dibromobiphenyl)		mg/kg	5	n.d.	_
(Tribromobiphenyl)		mg/kg	5	n.d.	-
(Tetrabromobiphenyl)		mg/kg	5	n.d.	-
(Pentabromobiphenyl)		mg/kg	5	n.d.	-
(Hexabromobiphenyl)		mg/kg	5	n.d.	-
(Heptabromobiphenyl)		mg/kg	5	n.d.	-
(O ctabrom obiphenyl)		mg/kg	5	n.d.	-
(Nonabromobiphenyl)		mg/kg	5	n.d.	-
(Decabromobiphenyl)	IEC 62321-6: 2015	mg/kg	5	n.d.	-
(Sum of PBBs)	/ (With reference to	mg/kg	-	n.d.	1000
(Monobromodiphenyl ether)	IEC 62321-6: 2015, analysis was	mg/kg	5	n.d.	-
(Dibromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.	-
(Tribromodiphenyl ether)		mg/kg	5	n.d.	-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
(Octabromodiphenyl ether)		mg/kg	5	n.d.	-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
(Decabromodiphenyl ether)		mg/kg	5	n.d.	-
(Sum of PBDEs)		mg/kg	-	n.d.	1000



(Page): 4 of 19



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 5 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(HBCDD) (- HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (- HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
(F) (Fluorine (F)) (CAS No.: 14762- 94-8)		mg/kg	50	n.d.	-
(CI) (Chlorine (CI)) (CAS No.: 22537- 15-1)	BS EN 14582: 2016 (With reference to BS EN	mg/kg	50	n.d.	-
(Br) (Bromine (Br)) (CAS No.: 10097-32-2)	14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
(I) (lodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 6 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(Polycyclic Aromatic					
Hydrocarbons) (PAHs)					
(a) (Benzo[a]pyrene) (CAS No.:		mg/kg	0.2	n.d.	
50-32-8)			0.0	I	
(e) (Benzo[e]pyrene) (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	
(Benzo[a]anthracene) (CAS		ma/ka	0.2	n.d.	
No.: 56-55-3)		mg/kg	0.2	n.u.	
(b) (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.	
(CAS No.: 205-99-2)		mg/kg	0.2	Ti.d.	
(j) (Benzo[j]fluoranthene)		mg/kg	0.2	n.d.	
(CAS No.: 205-82-3)		3 3			
(k) (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.	
(CAS No.: 207-08-9)	A fPS GS 2019:01 PAK				
(Chrysene) (CAS No.: 218-01-9)	/ (With)	mg/kg	0.2	n.d.	
(Dibenzo[a,h]anthracene)		mg/kg	0.2	n.d.	
(CAS No.: 53-70-3)					
(Benzo[g,h,i]perylene) (CAS		mg/kg	0.2	n.d.	
No.: 191-24-2)					
(Indeno[1,2,3-c,d]pyrene) (CAS		mg/kg	0.2	n.d.	
No.: 193-39-5)					
(Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	
(Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.	
(Dhananthanna) (CASNa, OF O1 O)			0.0	اء جا	
(Phenanthrene) (CASNo.: 85-01-8)		mg/kg	0.2	n.d.	
(Pyrene) (CAS No.: 129-00-0) (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2 0.2	n.d.	
(Naprinalene) (CAS No.: 91-20-3) 15 (Sum of 15		mg/kg		n.d.	
io (Suiii Ul 10		mg/kg	-	n.d.	



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 7 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result) No.1	(Limit)
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

(Note)

(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 8 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(A fPS): GS PA Hs

AfPS (German commission for Product Safety): GS PAHs requirements



(No.): ETR24700767 (Date

(Date): 12-Jul-2024

(Page): 9 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS Remark				
PFAS	PFAS		PFAS	
			PFAS	PFAS
		(PFAS	PFAS)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

		CAS No.
(Group Name)	(Substance Name)	
	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFO S-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFO S-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	(PFOS-NH₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH₄)	29081-56-9
PFOS, & (PFOS, its salts & derivatives)	$\label{eq:person} (\text{PFOS-NH}(\text{OH})_2)$ Perfluorooctane sulfonate diethanolamine salt $(\text{PFOS-NH}(\text{OH})_2)$	70225-14-8
	$\label{eq:pfos-N} \mbox{(P_2$H}_5)_4) $$ Perfluorooctanesulfonic acid, tetraethylammonium salt \\ \mbox{(PFOS-N($C}_2$H}_5)_4) $$$	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	$(PFOS\text{-N}(C_4H_9)_4)$ TetrabutylAmmonium perfluorooctanesulfonate $(PFOS\text{-N}(C_4H_9)_4)$	111873-33-7
	(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 10 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

		CAS No.
(Group Name)	(Substance Name)	
	(PFO S-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
PFOS, & (PFOS, its salts & derivatives)	(PFO S-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	(Perfluorooctanoic acid) (PFOA)	335-67-1
	(PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	(PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
PFOA, & (PFOA, its salts & derivatives)	(PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	(PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	(PFOA-Cr(3*)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3*))	68141-02-6
	- (2:1) PFOA-NH(C ₄ H ₁₀ N) Pentadecafluorooctanoic acidpiperazine (2/1) PFOA-NH(C ₄ H ₁₀ N)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9




(No.): ETR24700767 (Date): 12-Jul-2024

(Page): 11 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr^{6+} test method excluded





(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 12 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs

/ First testing process
/ Optional screen process
/ Confirmation process

/ Sample pretreatment

/ Screen analysis

/ Sample extraction
/ Soxhlet method

/
Concentrate/Dilute extracted solution

/ Filter
/ GC/MS
/ Data



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 13 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)




(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 14 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - HBCDD






(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 15 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Halogen






(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 16 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ / /) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)






(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 17 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR24700767 (Date): 12-Jul-2024 (Page): 18 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052

/ Solution

Analysis was performed by

чиатуятя was ретотпец by



(No.): ETR24700767

(Date): 12-Jul-2024

(Page): 19 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The tested sample / part is marked by an arrow if it's shown on the photo.)



* (End of Report) **